We claim:

- 1 1. A dust tolerant scanner, comprising:
- a housing including optics which define an optical
- 3 path between an object focal plane and a sensor focal
- 4 plane;
- a document feeder mechanically coupled to the
- 6 housing, the document feeder including a reference surface
- 7 positioned adjacent the object focal plane, the document
- 8 feeder providing a media path through the object focal
- 9 plane, the document feeder being configured to advance
- 10 media along the media path; and
- a media conformance member mechanically coupled to
- 12 the housing and positioned adjacent the reference surface,
- 13 the media conformance member including an aperture through
- 14 which the optical path extends, the media conformance
- 15 member being formed such that media advanced by the
- 16 document feeder along the media path is biased toward the
- 17 reference surface.
 - 2. A dust tolerant scanner as claimed in claim 1,
 - 2 wherein the optics include a mirror positioned at an
 - 3 opposite side of the housing from the object focal plane.
 - 3. A dust tolerant scanner as claimed in claim 2,
 - 2 wherein the mirror is a dust or debris collecting surface.
 - 1 4. A dust tolerant scanner as claimed in claim 1,
 - 2 wherein the document feeder is an automatic document
 - 3 feeder.
 - 1 5. A dust tolerant scanner as claimed in claim 1,
 - 2 wherein the media conformance member includes a ramp
 - 3 portion adjacent the aperture.

- 1 6. A media scan assembly for a dust tolerant
- 2 scanner, the media scan assembly comprising:
- an upper document feeder portion and a lower document
- 4 feeder portion providing a media path, the upper document
- 5 feeder portion including a reference surface adjacent the
- 6 media path, the lower document feeder portion including an
- 7 aperture facing the reference surface, the lower document
- 8 feeder portion being configured to be attached to a main
- 9 housing of the scanner; and
- at least one drive roller configured to advance media
- 11 along the media path.
 - 1 7. A media scan assembly as claimed in claim 6,
 - 2 wherein the upper document feeder portion includes a
 - 3 spring which mechanically couples the reference surface to
 - 4 the upper document feeder portion.
 - 1 8. A media scan assembly as claimed in claim 6,
 - 2 wherein the upper document feeder portion includes a
 - 3 raised portion adjacent the reference surface.
 - 9. A media scan assembly as claimed in claim 8,
 - 2 wherein raised portion is positioned after the reference
 - 3 surface along the media path.
 - 1 10. A media scan assembly as claimed in claim 6,
 - 2 wherein the reference surface is white.
 - 1 11. A media scan assembly as claimed in claim 6,
 - 2 wherein the lower document feeder portion includes a media
 - 3 conformance member which biases media advanced along the
 - 4 media path toward the reference surface.

- 1 12. A media scan assembly as claimed in claim 11
- 2 wherein the media conformance member includes at least one
- 3 ramp portion.
- 1 13. A media scan assembly as claimed in claim 6,
- 2 wherein the at least one drive roller is mechanically
- 3 coupled to the lower document feeder portion.
- 1 14. A media scan assembly for a dust tolerant
- 2 scanner, the media scan assembly comprising:
- an upper document feeder portion and a lower document
- 4 feeder portion defining a media path, the lower document
- 5 feeder portion including a media conformance member shaped
- 6 to push a piece of media against the upper document feeder
- 7 portion, the media conformance member including an
- 8 aperture shaped to provide an optical path to the media
- 9 path; and
- a media driver configured to reposition media along
- 11 the media path.
 - 1 15. A media scan assembly as claimed in claim 14,
 - 2 wherein the upper document feeder portion includes a
 - 3 reference surface which faces the aperture.
 - 1 16. A media scan assembly as claimed in claim 15,
 - 2 wherein the reference surface is substantially uniform in
 - 3 color.
 - 1 17. A media scan assembly as claimed in claim 15,
 - 2 wherein the media conformance member includes a top
 - 3 portion facing the reference surface and a ramp portion
 - 4 adjacent the top portion.

- 1 18. A media scan assembly for a dust tolerant 2 scanner, the media scan assembly comprising:
- 4 feeder portion defining a media path, the upper document

an upper document feeder portion and a lower document

- 5 feeder portion and the lower document feeder portion being
- 6 configured to advance media along the media path, the
- 7 upper document feeder portion including a reference
- 8 surface, the lower document feeder portion including an
- 9 aperture facing the reference surface, the media path
- 10 being configured to push a piece of media in the media
- 11 path against the reference surface, the aperture providing
- 12 an optical path to the media path.
 - 1 19. A media scan assembly as claimed in claim 18,
 - 2 wherein the lower document feeder portion includes an
 - 3 angled surface which is positioned before the reference
 - 4 surface along the media path.
 - 1 20. A media scan assembly as claimed in claim 18,
 - 2 wherein the upper portion includes a raised surface which
 - 3 is positioned after the reference surface along the media
 - 4 path.

3